

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL COMPANY
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address

CONSOLIDATION COAL COMPANY
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address

CONSOLIDATION COAL COMPANY
Lease or Property Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE STREET MONONGAH, WV 26554
Complete Address
GLOVER GAP 7.5'
Well Location
MANNINGTON
District
MARION
County
5110
Well No.
CONSOLIDATION COAL COMPANY
Farm

STATE INSPECTOR SUPERVISING PLUGGING William H. Haskins

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

DELBERT MOORE and KEVIN WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 30th day of September, 2014 and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Cleaned 12 1/2" hole from Surface to 162'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 162' to 881'. Tagged top of 7" casing at 881'. Reduced hole to 6 1/4". Cleaned 6 1/4" hole from 881' to 2267'. Tagged solid plug at 2267'. Removed 477' of 7" casing from 881' to 1358'. Left 740' of 7" casing in the hole from 1358' to 2098'. Cleaned 9 7/8" hole from 881' to 1358'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 1103' to 1110'.		16" Conductor 7" Casing	0' 477'	20' 740'
RECEIVED Office of Oil and Gas JAN 19 2015 WV Department of Environmental Protection				
Cemented hole from 2267' back to surface as follows: From 2267' to 1310' with 150 sacks of Expandable Cement. From 1310' to 1003' with 170 sacks of Thixotropic Cement with green dye. From 1003' back to the Surface with 430 sacks of Expandable Cement. Cement did circulate at the surface. Left 20' of 16" conductor casing in the hole from the surface to 20'.				
Coal Seams				
<u>Pittsburgh</u>	(1103' - 1110')	Description of Monument		
		77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.		

... and that the work of plugging and filling said well was completed on the 29th day of October, 2014

And further deponents saith not.


Delbert Moore
Delbert Moore

Kevin Wright
Kevin Wright

Sworn to and subscribed before me this 22nd day of Dec 2014

Carole A Mayle
Notary Public

My commission expires: 9-12-17



Permit No. 47-049-02336-P
Well No. 5110

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
MILDRED H PRICHARD HEIRS (C/O PHIL PRICHARD)
Lease or Property Owner
PO BOX 108 MANNINGTON, WV 26582
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE STREET MONONGAH, WV 26554
Complete Address
MANNINGTON 7.5'
Well Location
MANNINGTON
District
MARION
County
3934
Well No.
PRICHARD, MILDRED H HEIRS
Farm

STATE INSPECTOR SUPERVISING PLUGGING *William H. Haskins*

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

DELBERT MOORE and KEVIN WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 30th day of October, 2014 and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Cleaned 12 1/4" hole from the Surface to 214'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 214' to 1084'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole from 1084' to 1249'. Tagged solid plug at 1249'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 812' to 819'. Left 28' of 10 3/4" casing in the hole from 214' to 242'. Left an unknown amount of 8 5/8" casing in the hole from 1168' to an unknown depth. Left 30' of 16" conductor casing in the hole from Surface to 30'. <u>Cemented hole from 1249' back to surface as follows:</u> From 1249' to 1019' with 70 sacks of Expandable Cement. From 1019' to 712' with 155 sacks of Thixotropic Cement with green dye. From 712' back to the Surface with 335 sacks of Expandable Cement. Cement did circulate at the Surface.		16" Conductor	0'	30'
		10 3/4"	0'	28'
		8 5/8"	0'	Unknown
Coal Seams		<div>RECEIVED Office of Oil and Gas JAN 19 2015 WV Department of Environmental Protection</div>		
Pittsburgh	(812' - 819')			
		Description of Monument		
		77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.		

... and that the work of plugging and filling said well was completed on the 19th day of November, 2014

And further deponents saith not.


Delbert Moore
Delbert Moore

Kevin S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 22nd day of Dec 2014

Carole A Mayle
Notary Public

My commission expires: 9-12-17



Permit No. 47-049-02357-P
Well No. 3934

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL COMPANY
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
CONSOLIDATION COAL COMPANY
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
JEFFREY MICHAEL
Lease or Property Owner
PO BOX 211, MANNINGTON, WV 26582
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE STREET MONONGAH, WV 26554
Complete Address
GLOVER GAP 7.5'
Well Location
MANNINGTON
District
MARION
County
5252
Well No.
HAYS, J.L. & A.J.
Farm

STATE INSPECTOR SUPERVISING PLUGGING *[Signature]*

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

RUSSELL SMALLWOOD and KEVIN S. WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 19th day of November, 2014 and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Cleaned 12 1/4" hole from Surface to 201'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 201' to 907'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 893' to 901'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole from 907' to 1690'. Tagged top of 7" casing at 1690'. Reduced hole to 6 1/4". Cleaned 6 1/4" hole from 1690' to 2263'. Tagged solid plug at 2263'. Left 16' of 16" conductor casing in the hole from Surface to 16'. <u>Cemented hole from 2263' back to the Surface as follows:</u> From 2263' to 1139' with 275 sacks of Expandable Cement. From 1139' to 787' with 170 sacks of Thixotropic Cement with Green Dye. From 787' back to the Surface with 370 sacks of Expandable Cement. Cement did circulate at the surface.	16" Conductor 7" Casing	0' 0'	16' 468'	
	<div>RECEIVED Office of Oil and Gas JAN 19 2015 WV Department of Environmental Protection</div>			
Coal Seams		Description of Monument		
<u>Pittsburgh</u>	(893' – 901')	77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.		

... and that the work of plugging and filling said well was completed on the 10th day of December, 2014


And further deponents saith not.

Russell Smallwood
Russell Smallwood
Kevin S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 5 day of January 2014

Kara Both Forst
Notary Public

My commission expires: 11/4/23



Permit No. 47-049-02360-P
Well No. 5252

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Gilbert Plumley Operator Well No.: A-54

LOCATION: Elevation: 2102.30' Quadrangle: Baileysville
District: Huff Creek County: Wyoming
Latitude: 8031 Feet South of 37 Deg. 32 Min. 30 Sec.
Longitude: 7633 Feet West of 81 Deg. 42 Min. 30 Sec.

Well Type: OIL GAS X

Company Cabot Oil & Gas Coal Operator Cobalt Coal Corp Mining Inc, P.O. Box 191, Premier, WV 24878
Five Penn Center West Ste 401 or Owner Rock'n' Roll Coal Co. Inc 4641 Crabbin Mt Rd. Panther WV
Pittsburgh, PA 15276 Pringle Mining Co. LLC, P.O. Box 338, Pringle, WV 24874
Agent Whitney Johnson Coal Operator Selwyn Coal Corp., P.O. Box 293 Elk Fork, WV 24845
Permit Issued Date 7-31-14 or Owner Blair Ridge Mining, LLC P.O. Box 214, FAESB, WV 24844

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Reene ss:

Bill Shreve and Brian Shreve being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 10 day of NOV, 2014 and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
6% Gel	4627'	4450'		
Cement	4450'	4320'	4 1/2" 2400'	4 1/2" 2213' cemented
6% Gel	4320'	3440'	7" O	7" 1991' cemented to surface
Cement	3440'	3310'	9 5/8" O	9 5/8" 846' cemented to surface
2% Gel	3310'	2970'	16" O	16" 25' cemented to surface
Cement	2970'	2710'		
6% Gel	2710'	2400'	7" Open to 1950'	

Cement 2400-1950'

Description of monument: 10' 7" with API# Date plugged and that the work of plugging and filling said well was completed on the 14 day of NOV, 2014.

And further deponents saith not.

Bill Shreve


Brian Shreve

Sworn and subscribe before me this 3 day of Dec, 2014

My commission expires: 7/22/2020

Sandra G. Wilson

Notary Public



Affidavit reviewed by the Office of Oil and Gas: Angie Kennedy

Title: Inspector

Received
Office of Oil & Gas

JAN 15 2015

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Gilbert Plumley Operator Well No.: A-37

LOCATION: Elevation: 2,106.17' Quadrangle: Baileysville
District: HUFF CREEK County: Wyoming
Latitude: 5650 Feet South of 37 Deg. 32 Min. 30 Sec.
Longitude: 8425 Feet West of 81 Deg. 42 Min. 30 Sec.

Well Type: OIL GAS X

Company CADOT OIL & GAS Coal Operator Laster LLC 46 Carl Gospel, Four Crest St. Northampton MA 01061
Five Penn Center West Ste 401 or Owner Pennside Energy Company, LLC 208 Business St. Beckley WV 25801
Pittsburgh PA 15276 Coal Coal Corp P.O. Box 191 PLEASANT WV 24878
Agent Whitney Johnson Coal Operator Rockwell Coal 4641 Greenbrier Mtn Rd. P.O. Box 141
Permit Issued Date 8-28-14 or Owner Primrose Mining Co. P.O. Box 338 Pineridge WV 24874
Selwyn Coal Corp. P.O. Box 293 Elk Fork WV 24845
Blue Ridge Mining P.O. Box 218 FARMER WV 24844

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Roane ss:

Bill Shreve and Brian Shreve being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 17 day of NOV, 2014 and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
<u>6" 66cl</u>	<u>3834'</u>	<u>2950'</u>		
<u>Cement</u>	<u>2950'</u>	<u>2690'</u>		
<u>6" 66cl</u>	<u>2690'</u>	<u>2400'</u>	<u>4 1/2" 2400'</u>	<u>4 1/2" - 1434' cemented</u>
<u>Cement</u>	<u>2400'</u>	<u>2120'</u>	<u>7" 0'</u>	<u>7" - 1516' cemented</u>
<u>6" 66cl</u>	<u>2120'</u>	<u>1620'</u>	<u>9 5/8" 0'</u>	<u>9 5/8" - 706' cemented</u>
<u>Cement</u>	<u>1620'</u>	<u>1520'</u>	<u>16" 0'</u>	<u>16" - 25' cemented</u>
<u>VENT</u>	<u>1520'</u>	<u>Surface</u>		

to 1434'
To Surface
to Surface
To Surface

Description of monument: 10' 7" with API # Date plugged holes in 7" to vent
said well was completed on the 17 day of NOV, 2014 and that the work of plugging and filling

And further deponents saith not. Bill Shreve

Brian Shreve

Sworn and subscribe before me this 3 day of Dec, 2014

My commission expires: 7/22/2020

Sandra G. Wilson
Notary Public

Affidavit reviewed by the Office of Oil and Gas: Henry Kennedy

Title:

Received
Office of Oil & Gas

JAN 15 2015

